

# AERIAL WORK PLATFORM

## DOUBLE MAST AERIAL WORK PLATFORM



### Safety Electrical Features

Ergonomic ground control panel, power display, electric leakage protection, circuit breaker etc.

*CE certified stabilizers and electric safety switch elements from the inter-lock for platform ascending and descending.*

## SINGLE MAST AERIAL WORK PLATFORM



### Stable and Reliable Simple and Convenient

Double protection with supporting bolts and evolvable stabilizers minimize the blind area of aerial work platform usage



## SPECIFICATIONS

MODEL	MAX. PLATFORM HEIGHT (M)	MAX. WORKING HEIGHT (M)	LOADING CAPACITY (KG)	NUMBER OF PERSON PERMITTED ON THE PLATFORM	PLATFORM SIZE (MM)	OUTRIGGER FOOTPRINT (MM)	VOLTAGE (V/Hz)	MOTOR RATING LIFTING (KW)	STORED DIMENSIONS (MM) L0 x W0 x H0	MACHINE WEIGHT (KG)
GTWY6-1006	6	7.7	160	1	630 x 650	2060 x 1900	AC220/50	0.75	1290 x 880 x 1740	350
GTWY8-1008	8	9.7	136	1	630 x 650	2300 x 2180	AC220/50	0.75	1290 x 880 x 2080	430
GTWY10-1010	10	11.7	136	1	630 x 650	2400 x 2280	AC220/50	0.75	1390 x 980 x 2160	460
GTWY8-2008	8	9.7	300	2	1200 x 600	2160 x 1900	AC220/50	0.75	1390 x 880 x 1780	560
GTWY10-2010	10	11.7	300	2	1200 x 600	2400 x 2180	AC220/50	0.75	1390 x 880 x 2060	680
GTWY12-2012	12	13.7	250	2	1330 x 600	2670 x 2400	AC220/50	1.5	1590 x 1020 x 2460	750
GTWY14-4214	14	15.7	200	1	1350 x 810	2850 x 2620	AC220/50	0.75/1.5	1690 x 1130 x 1860	1150
GTWY16-4216	16	17.7	160	1	1480 x 810	2950 x 2700	AC220/50	0.75/1.5	2260 x 1190 x 2080	1500
GTWY18-4218	18	19.7	160	1	1480 x 810	3050 x 2780	AC220/50	0.75/1.5	2260 x 1190 x 2180	1600

- The above models are available in either AC or DC type.
- All specifications are subject to change without prior notice.

- Explosion proof models available upon request.